



REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
2A	SEPARATED TOOLS TO INDIVIDUAL DWGS PER R.W.	7/1/11	RJC	RW



NOTES

1. ALSO SOLD WITH KIT RB6796950.
2. REF: FUEL CONTROL & OIL PUMP IDLER SHAFT
REAR BEARING GASIFIER TRAIN IDLER FRONT
BEARING
3. CUT IN HALF AFTER MACHINING.

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
				1	PRESSING PLATE	4340	Ø3-5/8 x 5/8	
	ASSY #							

DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	Metric REF. .Xmm ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°	HEAT TREAT 42-46 Rc FINISH BLACK OXIDE SPEC USED ON MODEL ROLLS ROYCE 250 SERIES
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SCALE NTS DATE 4-8-03 SHEET 1 of 1

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED

NOT APPROVED FOR PRODUCTION

RED BARN MACHINE
190 South Danebo Ave
Eugene, Oregon 97402
(541) 344-9953; Fax 344-3863
E-mail: sales@redbarn.net

RB RED BARN MACHINE	
TITLE INSPECTION & TESTING PROCEDURES FOR THE FIRE SCOUT ENGINE LIFT ASSEMBLY	
TOOL NO. RBT18717	
CUSTOMER 1 of 1	
SHEET 5 of 5	